

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/564,253	01/10/2006	Guillaume Bichot	PU30043	8002
24498 7590 06/01/2009 Thomson Licensing LLC			EXAMINER	
P.O. Box 5312 Two Independence Way PRINCETON, NJ 08543-5312			GESESSE, TILAHUN	
			ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			06/01/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)		
10/564,253	BICHOT ET AL.		
Examiner	Art Unit		
TILAHUN GESESSE	2618		

Period fo	The MAILING DATE of this communication appears on the cover sheet with the correspondence address or Reply			
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, CHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Instead of the may be available under the provisions of 37 CFR 1136(b). In one over, thoewer, may a reply be turnly filed to the control of the			
Status				
1)🛛	Responsive to communication(s) filed on <u>12 February 2009</u> .			
2a)⊠	This action is FINAL. 2b) This action is non-final.			
3)	 Since this application is in condition for allowance except for formal matters, prosecution as to the merits 			
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.			
Disposit	ion of Claims			
4)🖂	Claim(s) 1-14 is/are pending in the application.			
	4a) Of the above claim(s) is/are withdrawn from consideration.			
5)	Claim(s) is/are allowed.			
6)⊠	Claim(s) <u>1-14</u> is/are rejected.			
7)	Claim(s) is/are objected to.			
8)□	Claim(s) are subject to restriction and/or election requirement.			
Applicati	ion Papers			
9)	The specification is objected to by the Examiner.			
10)	The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.			
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).			
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).			
11)	The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.			
Priority ι	under 35 U.S.C. § 119			
12)	Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
a)	☐ All b) ☐ Some * c) ☐ None of:			
	1. Certified copies of the priority documents have been received.			
	2. Certified copies of the priority documents have been received in Application No			
	3. Copies of the certified copies of the priority documents have been received in this National Stage			
	application from the International Bureau (PCT Rule 17.2(a)).			
* 8	See the attached detailed Office action for a list of the certified copies not received.			

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Information Disclosure Statement(s) (PTO/S5/08)
 - Paper No(s)/Mail Date 2/13/09.
- Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
- 5) Notice of Informal Patent Application 6) Other: ___

Page 2

Application/Control Number: 10/564,253

Art Unit: 2618

DETAILED ACTION

Response to Arguments

 Applicant's arguments filed 2/12/09 have been fully considered but they are not persuasive.

On page 5 third paragraph of response, applicant argued that none of the reference teach "---broadcasting the video on a video channel having an RF carrier frequency different from a carrier frequency of a wireless data channel over which data is broadcast from an access point "

" a video broadcast network for broadcasting the video from the encoder on a video channel having and frequency difference from wireless data channel over which data is broadcast from an access point while maintaining the video channel in a broadcast only-mode."

"Providing a bi-direction wireless data channel or a data LAN separate and distinct from the video LAN and in communication with the mobile communication device"

The examiner respectively disagrees.

Aaltonen et al. teaches a broadcasting network (1) for internet data access internet (13) and TV network (15), in which subscribers (3) communication on data channel transmits internet data packet and subscriber with video communication broadcast video channel accordingly (see abstract and figure 1), in which TV network (15) broadcast video clips via video channel to video receiver 3 different from the data channel in one-way broadcast.

Art Unit: 2618

Aaltonen et al further teaches a data LAN separate and distinct from the video LAN and in communication with the mobile communication device (figure 1) in which the internet network along with GW, SMS PLMA are LAN network for data which distinct from TV network, GW A/v and broadcasting station (37) video broadcasting network.

Aaltonen et al teaches a bi-direction (23) wireless data LAN separate and distinct from video network (figure 1) in which the internet network along with GW, SMS PLMA are LAN network for data which distinct from TV network, GW A/v and broadcasting station (37) video broadcasting network.

On page 6, second paragraph of response applicant agued that "Aaltonen specifically teaches that both data and video content are broadcast form the transmitter 11 i.e., via the same channel 120. there is no teaching that the video broadcast channel is different from a data broadcast."

The examiner respectively disagrees. Aaltonen clearly teaches video broadcasting station (11) and (1 of fig.2) broadcast video channel 120, is specifically for video broadcast to the receiver 3. not for both data and video content as applicant speculated.

Aaltonen also teaches data network (PLMN)(27) for data transmission from internet packet to the receiver 12 different from video channel 120 (see fig.2).

On page 7, third paragraph in response to previous office correspondence, applicant argued that "Aaltonen teaches is that both data and video are broadcast via channel 120 to terminal 3, and that user request is transmitted on channel 23 from terminal 3 to SMS 29."

Art Unit: 2618

The examiner respectively disagrees. Aaltonen clearly teaches video broadcasting station (11) and (1 of fig.2) broadcast video channel 120, is specifically for video broadcast to the receiver 3. not for both data and video content as applicant speculated.

Aaltonen also teaches data network (PLMN)(27) for data transmission from internet packet to the receiver 12 different from video channel 120 (see fig.2).

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary sik lin the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1,5-8,13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aaltonen et al (US 7,236,771) in view of Sibley (US 2001/0053700).
- Claim 1, Aaltonen teaches a method for providing video to at least one Subscriber(3) in a wireless Local Area Network (1) broadcast video information and local access network (27) (see figure 1 and (column 1, lines 30-37 and col. 3. lines 38-col. 4. line 9).

Art Unit: 2618

Aaltonen teaches receiving video from at least one source,(network 15, column 3, lines 44-48).

Aaltonen teaches broadcasting the video on a video channel having an RF carrier frequency different from a carrier frequency of a wireless data channel (network 27 and device 3 of fig.)over which data is transmitted (11a-11c) (video broadcast channel (120) different from data channel see figure 2) in which unidirectional video broadcasting stations to terminal subscriber (3).

Aaltonen teaches maintaining the video channel in a one-way

Broadcast only mode at least while the video Channel carries video, (120 of fig.2)
thereby precluding a subscriber from up-linking information on the video channel
(see figure 2, video channel is a one-way broadcast only mode (120) which does
not transmit request signal back to the network but request signal is transmitted
via network (27).

Aaltonen does not expressly teach encoding the video into at least one prescribed format.

However, Sibley teaches TV broadcasting network, which encodes TV information into prescribed format (see paragraph 0036 and fig.1).

One of ordinary skill in the art would be motivated to encode the video to convert into different format in order to broadcast the video using RF frequency.

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to encode video information into digital form, as taught by Sibley in order to eliminate noise, since electrical signal loses strength over

Art Unit: 2618

distance in which noise introduces in to the signal.

Claims 5-6 Aaltonen teaches the video is received from multiple sources (see figure 1, internet and TV network 13 and 15 of figs.1-2).

Claims 7-8, Aaltonen teaches a method for providing video to at least one Subscriber(3) in a wireless Local Area Network (1) broadcast video information and local access network (27) (see figure 1 and (column 1, lines 30-37 and col. 3, lines 38-col. 4, line 9).

Aaltonen teaches receiving video from at least one source,(network 15, column 3, lines 44-48).

Aaltonen teaches broadcasting the video on a video channel having an RF carrier frequency different from a carrier frequency of a wireless data channel over which data is transmitted (11a-11c) (video broadcast channel (120) different from data channel between network 27 and device 3) see figure 2) in which unidirectional video broadcasting stations to terminal subscriber (3).

Aaltonen teaches maintaining the video channel in a one-way

Broadcast only mode at least while the video Channel carries video, (120 of fig.2)
thereby precluding a subscriber from up-linking information on the video channel
(see figure 2, video channel is a one-way broadcast only mode (120) which does
not transmit request signal back to the network but request signal is transmitted
via network (27).

Aaltonen does not expressly teach encoding the video into at least one

Art Unit: 2618

prescribed format.

However, Sibley teaches TV broadcasting network, which encodes TV

information into prescribed format (see paragraph 0036 and fig.1).

One of ordinary skill in the art would be motivated to encode the video to

convert into different format in order to broadcast the video using RF frequency.

It would have been obvious to one of ordinary skill in the art at the time of

the invention was made to encode video information into digital form ,as taught

by Sibley in order to eliminate noise , since electrical signal loses strength over

distance in which noise introduces in to the signal.

Claim 13. Aaltonen teaches a method for providing video to at least one

Subscriber(3) in a wireless Local Area Network (1) broadcast video information

and local access network (27) (see figure 1 and (column 1, lines 30-37 and col. 3, lines

38-col. 4, line 9).

Aaltonen teaches receiving video from at least one source, (network 15,

column 3, lines 44-48).

Aaltonen teaches broadcasting the video on a video channel having an RF

carrier frequency different from a carrier frequency of a wireless data channel over

which data is transmitted (11a-11c) (video broadcast channel (120) different from data

channel between network 27 and device 3) see figure 2) in which unidirectional video

broadcasting stations to terminal subscriber (3).

Aaltonen teaches maintaining the video channel in a one-way

Art Unit: 2618

Broadcast only mode at least while the video Channel carries video, (120 of fig.2) thereby precluding a subscriber from up-linking information on the video channel (see figure 2, video channel is a one-way broadcast only mode (120) which does not transmit request signal back to the network but request signal is transmitted via network (27).

Aaltonen teaches providing a bi-directional wireless data channel for a data LAN separate and distinct from the video LAN and in communication with mobile station device (see figure 2) in which network 27 and device 3 interfaces data channel wirelessly.

Aaltonen does not expressly teach encoding the video into at least one prescribed format.

However, Sibley teaches TV broadcasting network, which encodes TV information into prescribed format (see paragraph 0036 and fig.1).

One of ordinary skill in the art would be motivated to encode the video to convert into different format in order to broadcast the video using RF frequency.

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to encode video information into digital form ,as taught by Sibley in order to eliminate noise, since electrical signal loses strength over distance in which noise introduces in to the signal.

Claim 14, Aaltonen teaches setting up different protocol layers with a minimum static configuration within the mobile wireless communication device (see column 3, line 38-column 4, lines 11 and figs.1-2).

Art Unit: 2618

 Claims 2-4,9-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aaltonen in view of Sibley, as applied to claims 1,5-8 and 13-14 above, and further in view of Benveniste (US 2003/0174690)

Claim 2-4, 9-12 Aaltonen does not expressly teach wireless LAN utilizes at least one of the IEEE 802.11 and ETSFHiperlan2 protocols and NAV (network allocation Vector).

However, Benveniste teaches wireless LAN utilizes at least one of the IEEE802.11 and ETSFHiperlan2 protocols and NAV (network allocation Vector) (see paragraph 0016-0017 and 0029).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to use IEEE802.11 and ESTFHiperlan2 protocols, as taught by Benveniste, in order to minimize the costly infrastructure using short range accessing point.

Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tilahun B. Gesesse whose telephone number is 571-272-7879. The examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Anderson can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

May 9,2009 T.B.G Tilahun B Gesesse Primary Examiner Art Unit 2618 Application/Control Number: 10/564,253 Page 11

Art Unit: 2618

/Tilahun Gesesse/ Primary Examiner, Art Unit 2618